

4 IN 1 IR MEDIUM SPEED DOME CAMERA



2MP
RESOLUTION

PAN / TILT

AUTO FLIP

Features

- OSD menu is available
- Keep original analog system
- AHD/TVI/CVI/CVBS selectable
- 15.24cm (6) half Metal Body construction, IP66
- Real time transmission, lossless video
- Long distance transmission up to 500 meters



SPECIFICATION	S-PTZ-D2A-20X-150M
Sensor	1/3" CMOS 2MP NVP2441+SONY323
Output pixel	1920x1080p/30fps, 1920x1080p/25fps
Lens	20X, F=4.7-96.3mm
BLC	Support
AGC	Auto/Manual
WB	Indoor/Outdoor/Auto/Manual
S/N Ratio	≥50dB
WDR	DWDR
Auto Control IR LED	PWM
IR distance	Up to 150 meters
LEDs	7PCS IR LED + 2PCS Laser LED
Rotation Range	Pan: 0°~360°, Tilt: 0°~93°
Rotation Speed(High)	Pan: 0~45°/s, Tilt: 0~30°/s
Auto Flip	Horizontal 180°, Vertical 93°
Preset Points	220pcs preset (Dwell time 01-60s interval available)
A-B Scan	User programmable (scan speed 1-64 levels setting available)
Guard Tours	3 groups (Max.16 points, dwell time user selectable)
Video interface output	AHD/TVI/CVI/CVBS selectable
Communication mode	RS485 (+/-) / coaxial cable
Operating Temperature	-40°C~+60°C
Power	DC12V 3A
Power Consumption	≤25W
Lightning Protection	Transient voltage 6000V